

Nationwide Batteries

Automotive Battery Specifications

BCI Group Size	Part Number	SAE Ratings		Overall Dimensions Inches			Core Type
		CCA	RC	Length	Width	Height	
Automotive – 24 Months Free / 6-Year Performance							
24	24-700	700	130	11	6 ⁷ / ₈	8 ³ / ₄	AT
24F	24F-700	700	130	11	6 ⁷ / ₈	8 ³ / ₄	AT
25	25-550	550	100	9	6 ⁷ / ₈	8 ⁵ / ₈	AT
27	27-700	810	140	12	6 ⁷ / ₈	8 ⁵ / ₈	AT
27F	27F-700	710	165	12	6 ⁷ / ₈	8 ⁵ / ₈	AT
34	34-800	800	110	10 ¹ / ₄	6 ⁷ / ₈	7 ³ / ₄	AT
34/78DT	78DT-800	800	115	10 ⁵ / ₁₆	6 ⁷ / ₈	7 ¹³ / ₁₆	AT
35	35-570	550	100	9	6 ⁷ / ₈	8 ³ / ₄	AT
36R	36R-650	650	130	10 ³ / ₈	7 ¹ / ₄	8 ¹ / ₈	AT
40R	40R-590	590	105	11	6 ¹⁵ / ₁₆	6 ¹⁵ / ₁₆	AT
51	51-500	500	85	9 ³ / ₈	5 ¹ / ₁₆	8 ³ / ₄	AT
51R	51R-500	500	85	9 ³ / ₈	5 ¹ / ₁₆	8 ³ / ₄	AT
58	58-550	550	80	9 ¹ / ₂	7 ¹ / ₄	6 ⁷ / ₈	AT
58R	58R-575	610	100	9 ¹ / ₂	7 ¹ / ₄	6 ⁷ / ₈	AT
65	65-850	850	150	12	7 ¹ / ₂	7 ¹ / ₂	AT
75/86DT	75DT-650	650	93	9 ¹ / ₂	7 ¹ / ₄	8 ³ / ₈	AT
78	78-700	700	120	10 ¹ / ₄	7 ¹ / ₄	7 ³ / ₈	AT
79	79-840	840	140	12 ¹ / ₁₆	7 ¹ / ₁₆	7 ³ / ₈	AT
100	100-770	770	115	10 ¹ / ₄	7 ¹ / ₁₆	7 ³ / ₈	AT
101	101-650	650	110	10 ¹ / ₄	7 ¹ / ₁₆	6 ¹¹ / ₁₆	AT
124R	124R-700	700	120	10 ³ / ₈	7	8 ⁵ / ₈	AT
H7 (94R)	94R-80	765	140	12 ⁷ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT
96R	96R-500	590	95	9 ¹ / ₂	6 ¹⁵ / ₁₆	6 ¹⁵ / ₁₆	AT
H5 (47)	H5-60	60Ah		9 ⁹ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT
H6 (48)	H6-640	770	130	11	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT
H8 (49)	H8-720	760	160	13 ¹⁵ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT
H9 (95R)	H9-110	110Ah		15 ⁹ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT

Nationwide Batteries

Automotive Battery Specifications

BCI Group Size	Part Number	SAE Ratings		Overall Dimensions Inches			Core Type
		CCA	RC	Length	Width	Height	
Automotive – 18 Months Free / 5-Year Performance							
19L	19L-525	525	110	8 1/4	6 5/8	7 3/8	AT
22F	22F-390	450	75	9 5/8	6 13/16	8 1/8	AT
24	24-530	530	95	11	6 7/8	8 3/4	AT
24F	24F-530	530	95	11	6 7/8	8 3/4	AT
26R	26R-540	540	81	8 3/16	6 13/16	7 3/4	AT
34	34-575	700	120	10 1/4	6 7/8	7 3/4	AT
41	41-610	650	110	11 1/2	6 7/8	6 5/8	AT
42	42-460	500	75	9 5/8	7	6 3/4	AT
H5(47)	47-650	650	100	9 9/16	6 15/16	7 1/2	AT
51	51-425	425	75	9 3/8	5 1/8	8 7/8	AT
51R	51R-425	425	75	9 3/8	5 1/8	8 7/8	AT
56	56-550	590	95	10	6	8 1/4	AT
58	58-460	460	90	9 1/2	7 1/4	6 7/8	AT
59	59-590	590	100	10 1/16	7 11/16	7 3/4	AT
65	65-675	675	130	12	7 1/2	7 1/2	AT
75	75-650	650	95	9	7 1/4	7 5/8	AT
78	78-550	550	90	10 1/4	7 1/4	7 3/8	AT
86	86-525	525	90	9 1/16	6 7/8	8	AT
T5(90)	T5-600	600	100	9 9/16	6 15/16	6 15/16	AT
121R	121R-600	600	100	8 1/4	7	8 1/2	AT
151R	151R-370	340	57	7 7/16	4 15/16	8 7/8	AT
A12V	MX-5-500	370	45	7 1/2	5	6 1/2	AT
Automotive – 12 Months Free / 4-Year Performance							
24	24-420	530	95	11	6 7/8	8 3/4	AT
24F	24F-420	530	95	11	6 7/8	8 3/4	AT
26	26-500	525	85	8	6 3/4	7 3/4	AT
26R	26R-440	450	85	8	6 3/4	7 3/4	AT
75/86DT	75DT-400	450	75	9 1/2	7 1/4	8 3/8	AT
45	45-480	480	74	9 7/16	5 1/2	8 15/16	AT
34/78DT	78DT-550	550	100	10 5/16	6 7/8	7 13/16	AT
70	70-430	525	85	8 1/8	7 1/8	7 1/2	AT
75	75-550	550	80	9	7 1/4	7 5/8	AT

Nationwide Batteries

Spécifications des Batteries

BCI Taille du Groupe	Numéro de Pièce	Valeurs SAE		Dimensions hors tout pouces			Type de cœur
		CCA	RC	L	W	H	
Automotive – 24 Mois gratuits / Performance de 6 ans							
24	24-700	700	130	11	6 ⁷ / ₈	8 ³ / ₄	AT
24F	24F-700	700	130	11	6 ⁷ / ₈	8 ³ / ₄	AT
25	25-550	550	100	9	6 ⁷ / ₈	8 ⁵ / ₈	AT
27	27-700	810	140	12	6 ⁷ / ₈	8 ⁵ / ₈	AT
27F	27F-700	710	165	12	6 ⁷ / ₈	8 ⁵ / ₈	AT
34	34-800	800	110	10 ¹ / ₄	6 ⁷ / ₈	7 ³ / ₄	AT
34/78DT	78DT-800	800	115	10 ⁵ / ₁₆	6 ⁷ / ₈	7 ¹³ / ₁₆	AT
35	35-570	550	100	9	6 ⁷ / ₈	8 ³ / ₄	AT
36R	36R-650	650	130	10 ³ / ₈	7 ¹ / ₄	8 ¹ / ₈	AT
40R	40R-590	590	105	11	6 ¹⁵ / ₁₆	6 ¹⁵ / ₁₆	AT
51	51-500	500	85	9 ³ / ₈	5 ¹ / ₁₆	8 ³ / ₄	AT
51R	51R-500	500	85	9 ³ / ₈	5 ¹ / ₁₆	8 ³ / ₄	AT
58	58-550	550	80	9 ¹ / ₂	7 ¹ / ₄	6 ⁷ / ₈	AT
58R	58R-575	610	100	9 ¹ / ₂	7 ¹ / ₄	6 ⁷ / ₈	AT
65	65-850	850	150	12	7 ¹ / ₂	7 ¹ / ₂	AT
75/86DT	75DT-650	650	93	9 ¹ / ₂	7 ¹ / ₄	8 ³ / ₈	AT
78	78-700	700	120	10 ¹ / ₄	7 ¹ / ₄	7 ³ / ₈	AT
79	79-840	840	140	12 ¹ / ₁₆	7 ¹ / ₁₆	7 ³ / ₈	AT
100	100-770	770	115	10 ¹ / ₄	7 ¹ / ₁₆	7 ³ / ₈	AT
101	101-650	650	110	10 ¹ / ₄	7 ¹ / ₁₆	6 ¹¹ / ₁₆	AT
124R	124R-700	700	120	10 ³ / ₈	7	8 ⁵ / ₈	AT
H7(94R)	94R-80	765	140	12 ⁷ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT
96R	96R-500	590	95	9 ¹ / ₂	6 ¹⁵ / ₁₆	6 ¹⁵ / ₁₆	AT
H5(47)	H5-60	60Ah		9 ⁹ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT
H6(48)	H6-640	770	130	11	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT
H8(49)	H8-720	760	160	13 ¹⁵ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT
H9(95R)	H9-110	110Ah		15 ⁹ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₂	AT

Nationwide Batteries

Spécifications des Batteries

BCI Group Size	Part Number	SAE Ratings		Overall Dimensions Inches			Core Type
		CCA	RC	Length	Width	Height	
Automotive – 18 Mois gratuits / Performance de 5 ans							
19L	19L-525	525	110	8 ¼	6 ⅝	7 ¾	AT
22F	22F-390	450	75	9 ⅝	6 13/16	8 1/8	AT
24	24-530	530	95	11	6 7/8	8 ¾	AT
24F	24F-530	530	95	11	6 7/8	8 ¾	AT
26R	26R-540	540	81	8 3/16	6 13/16	7 ¾	AT
34	34-575	700	120	10 ¼	6 7/8	7 ¾	AT
41	41-610	650	110	11 ½	6 7/8	6 ⅝	AT
42	42-460	500	75	9 ⅝	7	6 ¾	AT
H5(47)	47-650	650	100	9 9/16	6 15/16	7 ½	AT
51	51-425	425	75	9 ¾	5 ⅝	8 7/8	AT
51R	51R-425	425	75	9 ¾	5 ⅝	8 7/8	AT
56	56-550	590	95	10	6	8 ¼	AT
58	58-460	460	90	9 ½	7 ¼	6 7/8	AT
59	59-590	590	100	10 1/16	7 11/16	7 ¾	AT
65	65-675	675	130	12	7 ½	7 ½	AT
75	75-650	650	95	9	7 ¼	7 ⅝	AT
78	78-550	550	90	10 ¼	7 ¼	7 ¾	AT
86	86-525	525	90	9 1/16	6 7/8	8	AT
T5(90)	T5-600	600	100	9 9/16	6 15/16	6 15/16	AT
121R	121R-600	600	100	8 ¼	7	8 ½	AT
151R	151R-370	340	57	7 7/16	4 15/16	8 7/8	AT
A12V	MX-5-500	370	45	7 ½	5	6 ½	AT
Automotive – 12 Mois gratuits / Performance de 4 ans							
24	24-420	530	95	11	6 7/8	8 ¾	AT
24F	24F-420	530	95	11	6 7/8	8 ¾	AT
26	26-500	525	85	8	6 ¾	7 ¾	AT
26R	26R-440	450	85	8	6 ¾	7 ¾	AT
75/86DT	75DT-400	450	75	9 ½	7 ¼	8 ¾	AT
45	45-480	480	74	9 7/16	5 ½	8 15/16	AT
34/78DT	78DT-550	550	100	10 5/16	6 7/8	7 13/16	AT
70	70-430	525	85	8 1/8	7 1/8	7 ½	AT
75	75-550	550	80	9	7 ¼	7 ⅝	AT