

Nationwide Batteries

Commercial Battery Specifications

BCI Group Size	Part Number	SAE Ratings		Overall Dimensions Inches			Core Type
		CCA	RC	Length	Width	Height	
Commercial AGM – 12-Volt							
31T	31T1-AGM	800	188	13	6 ³ / ₄	9 ³ / ₈	LT
31A	31A1-AGM	800	188	13	6 ³ / ₄	9 ³ / ₈	LT
Commercial – Light 12-Volt							
17TF	17TF-625	625	150	17	6 ⁷ / ₈	8	LT
29NF	29-NF-420	420	77	13	5 ¹ / ₂	9	LT
6TL	6TL-825	825	215	10 ¹ / ₂	11 ⁷ / ₈	11 ⁷ / ₈	LT
Commercial – Light 8-Volt							
1-8V	18V-520	520	102	9	6 ¹⁵ / ₁₆	8 ³ / ₄	LT
Commercial – Light 6-Volt							
1	1-575	640	130	8 ⁷ / ₈	6 ⁷ / ₈	8 ³ / ₄	LT
2	2-600	610	164	10 ¹ / ₄	7	9 ¹ / ₈	LT
Commercial – Heavy-Duty 12-Volt							
4D	4D-970	1000	295	20 ³ / ₄	8 ¹ / ₄	9 ⁵ / ₈	HV
8D	8D-1125	1155	380	20 ³ / ₄	11	9 ⁵ / ₈	HV
8D	8D-1400	1400	450	20 ³ / ₄	11	9 ⁵ / ₈	HV
8D	8DBT-1400	1400	400	20 ³ / ₄	11	9 ⁵ / ₈	HV
8D	8DBT7/16-1400	1400	400	20 ³ / ₄	11	9 ⁵ / ₈	HV
29H/30H	30H-650	670	160	13 ¹ / ₂	6 ¹³ / ₁₆	9 ¹ / ₄	LT
31A	31A-630	630	150	13	6 ³ / ₄	9 ³ / ₈	LT
31A	31A-725	750	175	13	6 ³ / ₄	9 ³ / ₈	LT
31A	31A-CL700	700	190	13	6 ³ / ₄	9 ³ / ₈	LT
31A	31A-HD660	660	160	13	6 ³ / ₄	9 ³ / ₈	LT
31T	31T-630	630	150	13	6 ³ / ₄	9 ³ / ₈	LT
31T	31T-725	750	175	13	6 ³ / ₄	9 ³ / ₈	LT
31T	31T-CL700	700	190	13	6 ³ / ₄	9 ³ / ₈	LT
31T	31T-HD660	660	160	13	6 ³ / ₄	9 ³ / ₈	LT

Nationwide Batteries

Commercial Battery Specifications

BCI Group Size	Part Number	SAE Ratings		Overall Dimensions Inches			Core Type
		CCA	RC	Length	Width	Height	
Commercial – Heavy-Duty 12-Volt – Globally Sourced							
31A	31A-GS	1000	185	13	6 ⁴ / ₅	9 ¹ / ₂	LT
31T	31T-GS	1000	185	13	6 ⁴ / ₅	9 ¹ / ₂	LT
Commercial – Heavy-Duty 6-Volt							
4	4-950	1000	295	12 ³ / ₄	7 ¹ / ₈	9 ¹ / ₈	LT
Commercial – Special Tractor 12-Volt							
3EE	3EE-400	400	90	19 ¹ / ₄	4 ¹ / ₄	8 ⁵ / ₈	LT
3ET	3ET-460	460	105	19 ¹ / ₄	4 ¹ / ₄	9 ¹ / ₂	LT
4DLT	4DLT-850	860	235	20	8 ¹ / ₈	8	LT
Commercial – Special Tractor 6-Volt							
3EH	3EH-875	875	250	19 ¹ / ₄	4 ¹ / ₄	9 ³ / ₄	LT

Nationwide Batteries

Spécifications des Batteries

BCI Taille du Groupe	Numéro de Pièce	Valeurs SAE		Dimensions hors tout pouces			Type de cœur
		CCA	RC	L	W	H	
Commercial AGM – 12-Volt							
31T	31T1-AGM	800	188	13	6 ³ / ₄	9 ³ / ₈	LT
31A	31A1-AGM	800	188	13	6 ³ / ₄	9 ³ / ₈	LT
Commercial – Léger 12-Volt							
17TF	17TF-625	625	150	17	6 ⁷ / ₈	8	LT
29NF	29-NF-420	420	77	13	5 ¹ / ₂	9	LT
6TL	6TL-825	825	215	10 ¹ / ₂	11 ⁷ / ₈	11 ⁷ / ₈	LT
Commercial – Léger 8-Volt							
1-8V	18V-520	520	102	9	6 ¹⁵ / ₁₆	8 ³ / ₄	LT
Commercial – Léger 6-Volt							
1	1-575	640	130	8 ⁷ / ₈	6 ⁷ / ₈	8 ³ / ₄	LT
2	2-600	610	164	10 ¹ / ₄	7	9 ¹ / ₈	LT
Commercial – Grande capacité-Duty 12-Volt							
4D	4D-970	1000	295	20 ³ / ₄	8 ¹ / ₄	9 ⁵ / ₈	HV
8D	8D-1125	1155	380	20 ³ / ₄	11	9 ⁵ / ₈	HV
8D	8D-1400	1400	450	20 ³ / ₄	11	9 ⁵ / ₈	HV
8D	8DBT-1400	1400	400	20 ³ / ₄	11	9 ⁵ / ₈	HV
8D	8DBT7/16-1400	1400	400	20 ³ / ₄	11	9 ⁵ / ₈	HV
29H/30H	30H-650	670	160	13 ¹ / ₂	6 ¹³ / ₁₆	9 ¹ / ₄	LT
31A	31A-630	630	150	13	6 ³ / ₄	9 ³ / ₈	LT
31A	31A-725	750	175	13	6 ³ / ₄	9 ³ / ₈	LT
31A	31A-CL700	700	190	13	6 ³ / ₄	9 ³ / ₈	LT
31A	31A-HD660	660	160	13	6 ³ / ₄	9 ³ / ₈	LT
31T	31T-630	630	150	13	6 ³ / ₄	9 ³ / ₈	LT
31T	31T-725	750	175	13	6 ³ / ₄	9 ³ / ₈	LT
31T	31T-CL700	700	190	13	6 ³ / ₄	9 ³ / ₈	LT
31T	31T-HD660	660	160	13	6 ³ / ₄	9 ³ / ₈	LT

Nationwide Batteries

Spécifications des Batteries

BCI Taille du Groupe	Numéro de Pièce	Valeurs SAE		Dimensions hors tout pouces			Type de cœur
		CCA	RC	L	W	H	
Commercial – Grande capacité 12-Volt – International							
31A	31A-GS	1000	185	13	6 ⁴ / ₅	9 ¹ / ₂	LT
31T	31T-GS	1000	185	13	6 ⁴ / ₅	9 ¹ / ₂	LT
Commercial – Grande capacité 6-Volt							
4	4-950	1000	295	12 ³ / ₄	7 ¹ / ₈	9 ¹ / ₈	LT
Commercial – Tracteur spécial 12-Volt							
3EE	3EE-400	400	90	19 ¹ / ₄	4 ¹ / ₄	8 ⁵ / ₈	LT
3ET	3ET-460	460	105	19 ¹ / ₄	4 ¹ / ₄	9 ¹ / ₂	LT
4DLT	4DLT-850	860	235	20	8 ¹ / ₈	8	LT
Commercial – Tracteur spécial 6-Volt							
3EH	3EH-875	875	250	19 ¹ / ₄	4 ¹ / ₄	9 ³ / ₄	LT